

Ascot Resources Ltd.- Premier Drill Results -July, 2017

Hole #	Pad #	UTM E	UTM N	Elevation	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
P17-1331	2017P-11	437190	6212920	650m	135/-72	NL Main			189.10	233.00	43.90	0.61	0.61	7.9	0.46
								incl.	191.50	225.50	34.00	0.67	0.67	9.4	0.57
								incl.	191.50	196.00	4.50	2.07	2.07	10.3	0.06
P17-1332	2017P-11	437190	6212920	650m	135/-83	Ben Subzone			148.50	155.20	6.70	0.56	0.56	8.4	0.41
								also	261.52	328.57	67.05	0.75	0.75	8.0	0.43
								incl.	269.20	305.00	35.80	1.09	1.09	10.7	0.63
								incl.	269.20	277.00	7.80	1.96	1.96	28.6	0.91
								incl.	275.00	277.00	2.00	3.87	3.87	10.0	0.79
P17-1333	2017P-14	438380	6212980	680m	315/-80	NL Main			267.27	304.42	37.15	0.88	0.88	4.8	0.22
								incl.	279.50	290.00	10.50	2.57	2.57	5.2	0.26
								incl.	281.50	283.50	2.00	5.78	5.78	5.8	0.20
P17-1334	2017P-11	437190	6212920	650m	135/-58	Ben Subzone			170.16	206.45	36.29	3.62	1.83*	35.2	0.24
								incl.	180.00	186.50	6.50	17.30	7.26*	52.8	0.17
							VG	incl.	185.50	186.50	1.00	99.60	34.29*	61.2	0.61
								also	226.00	240.50	14.50	0.68	0.68	5.3	0.33
								incl.	227.17	229.00	1.83	2.91	2.91	16.3	0.87
								also	249.00	266.00	17.00	0.67	0.67	2.6	0.08
								incl.	256.00	257.50	1.50	5.04	5.04	9.8	0.41
P17-1335	2017P-09	437140	6212880	630m	135/-86	Ben Subzone			224.00	267.50	43.50	1.99	1.99	5.4	0.22
								incl.	224.00	240.00	16.00	4.85	4.85	10.8	0.27
								incl.	236.00	240.00	4.00	17.60	17.60	21.3	0.70
								incl.	237.44	239.00	1.56	29.10	29.10	29.0	1.02
								also	296.50	340.00	43.50	0.90	0.90	5.1	0.20
								incl.	299.00	312.00	13.00	1.07	1.07	6.6	0.24
								incl.	327.50	335.00	7.50	1.64	1.64	5.1	0.27
P17-1336	2017P-09	437140	6212880	630m	180/-60	NL Main			236.94	267.91	30.97	0.47	0.47	3.8	0.12
								incl.	247.20	248.20	1.00	3.44	3.44	21.8	0.17
P17-1337	2017P-14	438380	6212980	680m	315/-76	NL Main			309.00	334.37	25.37	0.35	0.35	9.1	0.60
								incl.	316.00	324.00	8.00	0.59	0.59	19.6	1.33
P17-1338	2017NL-19	437115	6213210	545m	180/-50	NL Main			324.53	343.50	18.97	0.49	0.49	2.5	0.14
								incl.	329.07	334.00	4.93	1.35	1.35	2.9	0.12
								also	383.19	413.50	30.31	0.42	0.42	4.3	0.16
P17-1339	2017NL-09	437020	6213090	530m	135/-50	NL Main			215.50	225.50	10.00	2.34	2.34	5.2	0.14
								incl.	219.98	220.98	1.00	21.30	21.30	31.2	1.28
								also	300.00	336.50	36.50	0.62	0.62	4.4	0.05

Ascot Resources Ltd.- Premier Drill Results -July, 2017

Hole #	Pad #	UTM E	UTM N	Elevation	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
								incl.	318.00	330.00	12.00	1.27	1.27	3.8	0.07
								incl.	327.18	330.00	2.82	2.29	2.29	5.6	0.07
P17-1340	2017NL-09	437020	6213090	530m	135/-59	NL Main			225.26	226.55	1.29	3.83	3.83	5.8	0.67
								also	289.81	346.50	56.69	0.33	0.33	3.8	0.13
P17-1341	2017NL-09	437020	6213090	530m	135/-73	NL Main			247.75	256.03	8.28	1.31	1.31	4.3	0.57
								incl.	252.00	256.03	4.03	2.56	2.56	4.2	0.83
								also	299.45	349.00	49.55	0.31	0.31	3.2	0.13
								incl.	327.00	336.00	9.00	0.73	0.73	3.8	0.11
P17-1342	2017NL-15	436960	6213020	520m	135/-55	Ben Subzone	Hit Adit		226.30	230.97	4.67	5.87	5.87	7.4	2.02
								incl.	227.80	228.80	1.00	20.20	20.20	19.20	7.27
P17-1343	2017P-15	438350	6212920	685m	135/-50	Upper NL Main			186.50	212.30	25.80	0.20	0.20	6.5	0.03
								also	227.55	234.71	7.16	0.55	0.55	18.7	0.09
P17-1344	2017P-15	438350	6212920	685m	135/-62	Upper NL Main			150.00	180.50	30.50	0.61	0.61	24.2	0.14
								incl.	152.49	158.62	6.13	2.51	2.51	97.1	0.57
								incl.	156.00	157.00	1.00	6.89	6.89	333.0	0.50
P17-1345	2017P-15	438350	6212920	685m	135/-75	Upper NL Main			147.00	173.00	26.00	0.31	0.31	7.8	0.27
								also	191.00	218.54	27.54	0.36	0.36	5.1	0.62
P17-1346	2017P-09	437140	6212880	630m	180/-75	NL Main			146.3	154.23	7.93	1.28	1.28	8.0	0.21
								incl.	150.00	152.10	2.10	4.42	4.42	19.2	0.65
								also	226.30	279.20	52.90	0.88	0.88	7.4	0.34
								incl.	247.65	279.20	31.55	1.31	1.31	7.1	0.26
								incl.	258.00	259.50	1.50	4.71	4.71	3.7	0.17
P17-1347	2017P-10	437105	6212796	620m	135/-62	Ben Subzone			229.87	245.87	16.00	1.91	1.91	20.3	0.24
								incl.	238.28	240.20	1.92	13.35	13.35	97.6	1.64
								incl.	238.28	239.20	0.92	17.45	17.45	120.0	2.11
								also	254.00	280.83	26.83	0.44	0.44	9.1	0.21
								incl.	269.00	277.50	8.50	0.84	0.84	7.9	0.14
P17-1348	2017P-10	437105	6212796	620m	135/-75	Premier NE			191.36	228.00	36.64	0.52	0.52	7.5	0.37
								incl.	193.00	209.20	16.20	0.84	0.84	10.7	0.71
								incl.	199.00	206.20	7.20	1.10	1.10	23.5	1.40
P17-1349	2017P-10	437105	6212796	620m	135/-89	NL Main			213.00	306.67	93.67	0.43	0.43	4.1	0.20
								incl.	297.80	306.67	8.87	1.67	1.67	4.2	0.27
								incl.	297.80	300.00	2.20	3.71	3.71	7.0	0.31

Ascot Resources Ltd.- Premier Drill Results -July, 2017

Hole #	Pad #	UTM E	UTM N	Elevation	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
P17-1350	2017P-12	437235	6212960	660m	135/-89	Upper NL Main	Results Pending								
P17-1351	2017P-15	438350	6212920	685m	135/-83	Upper NL Main			165.59	224.64	59.05	0.62	0.62	16.5	0.84
								incl.	167.73	176.00	8.27	2.24	2.24	57.0	4.48
								incl.	167.73	171.00	3.27	4.44	4.44	81.7	5.99
								incl.	167.73	169.00	1.27	7.18	7.18	71.4	4.01
P17-1352	2017NL-15	436960	6213020	520m	135/-62	NL Main			233.90	244.90	11.00	1.37	1.37	2.9	0.27
								incl.	238.40	241.40	3.00	2.72	2.72	4.5	0.60
								also	277.00	315.77	38.77	0.81	0.81	6.6	0.05
								incl.	292.00	298.00	6.00	2.38	2.38	8.4	0.61
								incl.	296.00	298.00	2.00	5.82	5.82	12.8	0.75
P17-1353	2017NL-15	436960	6213020	520m	135/-72	NL Main			258.10	268.50	10.40	0.78	0.78	2.6	0.22
								also	301.10	334.00	32.90	0.55	0.55	3.1	0.08
								incl.	313.00	317.00	4.00	2.50	2.50	8.8	0.16
P17-1354	2017NL-15	436960	6213020	520m	135/-78	NL Main			262.39	338.00	75.61	0.53	0.53	7.4	0.50
								incl.	262.39	266.25	3.86	2.53	2.53	93.4	5.93
								incl.	314.60	325.00	10.40	1.29	1.29	3.6	0.24
P17-1355	2017P-08	437090	6212760	620m	135/-60	NE Premier Main			225.02	288.03	14.39	0.69	0.69	11.3	0.31
								incl.	282.15	284.98	2.83	1.20	1.20	2.8	0.15
P17-1356	2017P-08	437090	6212760	620m	135/-75	NE Premier Main			237.30	249.50	12.20	0.15	0.15	4.7	0.07
P17-1357	2017P-08	437090	6212760	620m	135/-89	Ben Subzone			204.50	277.00	72.50	1.35	1.35	8.6	0.55
								incl.	205.70	233.50	27.80	3.07	3.07	17.6	1.09
								incl.	205.70	208.70	3.00	10.07	10.07	23.1	1.83
								incl.	207.70	208.70	1.00	18.30	18.30	17.6	2.93
								also	230.50	231.50	1.00	10.20	10.20	36.3	3.45
P17-1358	2017P-15	438350	6212920	685m	315/-87	Ben Subzone			204.50	291.69	87.19	0.50	0.50	4.8	0.20
								incl.	208.59	211.25	2.66	1.27	1.27	27.3	1.43
								incl.	255.00	291.69	36.69	0.70	0.70	3.5	0.10
								incl.	255.00	259.00	4.00	1.40	1.40	6.6	0.16
								incl.	282.00	291.69	9.69	1.16	1.16	4.1	0.24
P17-1359	2017P-15	438350	6212920	685m	315/-82	Upper NL Main			222.90	319.40	96.50	1.33	1.33	7.3	0.20
								incl.	222.90	225.00	2.10	4.58	4.58	74.0	2.17
								incl.	255.00	257.00	2.00	30.10	30.10	93.7	0.16
								incl.	290.00	318.00	28.00	1.60	1.60	4.1	0.12
								incl.	298.00	312.00	14.00	2.21	2.21	5.6	0.17

Ascot Resources Ltd.- Premier Drill Results -July, 2017

Hole #	Pad #	UTM E	UTM N	Elevation	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
								incl.	308.00	312.00	4.00	3.40	3.40	5.5	0.17
P17-1360	2017P-12	437235	6212960	660m	135/-62	Upper NL Main			199.50	243.80	44.30	0.59	0.59	6.0	0.33
								incl.	207.23	213.00	5.77	1.89	1.89	27.4	1.15
								incl.	207.23	209.32	1.09	4.40	4.40	40.5	0.75
								incl.	232.50	233.50	1.00	3.32	3.32	1.6	0.01
P17-1361	2017P-12	437235	6212960	660m	135/-69	Upper NL Main			108.50	113.50	5.00	0.98	0.98	10.2	0.65
								also	211.00	243.00	32.00	0.63	0.63	11.0	1.00
								incl.	216.00	218.00	2.00	2.29	2.29	6.5	0.46
								also	254.00	269.00	15.00	0.56	0.56	2.0	0.05
P17-1362	2017P-12	437235	6212960	660m	135/-75	Upper NL Main			237.30	281.90	44.60	0.90	0.90	5.8	0.33
								incl.	240.50	256.50	16.00	1.27	1.27	10.2	0.63
								incl.	254.50	256.50	2.00	4.04	4.04	6.5	0.42
								incl.	268.00	269.60	1.60	3.08	3.08	5.8	0.39
P17-1363	2017P-12	437235	6212960	660m	135/-80	Ben Subzone			218.00	301.00	83.00	0.85	0.85	3.7	0.13
								incl.	249.50	295.00	45.50	1.43	1.43	3.7	0.19
								incl.	260.00	289.00	29.00	1.91	1.91	3.9	0.21
								incl.	285.00	289.00	4.00	7.44	7.44	5.0	0.11
								incl.	287.00	289.00	2.00	12.30	12.30	7.3	0.13
P17-1364	2017NL-17	437045	6213110	525m	135/-50	NL-Main			270.00	281.30	11.30	1.19	1.19	2.1	0.06
								incl.	275.20	279.78	4.58	2.11	2.11	2.1	0.03
								also	290.45	296.00	5.55	0.32	0.32	1.5	0.08
P17-1365	2017NL-17	437045	6213110	525m	135/-60	NL-Main			214.37	217.28	2.91	1.45	1.45	20.3	0.44
								also	288.45	301.5	13.05	1.20	1.20	9.5	0.44
								incl.	290.00	293.40	3.40	3.79	3.79	24.4	1.00
								also	309.00	327.95	18.95	1.03	1.03	4.0	0.05
								incl.	316.00	325.00	9.00	1.57	1.57	4.1	0.22
P17-1366	2017NL-17	437045	6213110	525m	135/-55	Ben Subzone			295.60	348.00	52.40	5.17	1.59*	10.6	0.31
								incl.	297.10	327.80	30.70	8.57	2.47*	15.8	0.41
								incl.	297.10	298.3	1.20	190.5	34.29*	325.0	5.93
								incl.	322.50	324.00	1.50	12.40	12.40	3.6	0.20

(*) samples cut to 1opt or 34.29 g/t Au.