

May 2017 Ascot Resources Premier Drill Results

Hole #	Pad #	UTM E	UTM N	Elevation	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
P17-1225	2017NL-01	436556	6213260	390m	225/-55	NL West			176.50	186.50	10.00	0.13	0.13	4.5	0.57
P17-1226	2017NL-01	436556	6213260	390m	225/-89	NL West	Upper Zone		100.95	115.75	14.80	0.20	0.20	6.5	0.02
P17-1227	2017NL-04	436750	6213195	430m	225/-45	NL West			240.50	263.50	23.00	1.80	1.80	14.5	1.03
								incl.	251.00	261.00	10.00	4.05	4.05	31.0	2.14
								incl.	254.81	257.50	2.69	6.78	6.78	22.8	2.55
P17-1228	2017NL-04	436750	6213195	430m	225/-60	NL West			243.00	294.06	51.06	0.57	0.57	8.9	0.61
								incl.	243.00	256.00	13.00	1.32	1.32	31.9	2.14
								incl.	249.00	250.01	1.01	4.39	4.39	15.7	2.42
P17-1229	2017NL-04	436750	6213195	430m	225/-75	NL West			182.70	183.75	1.05	8.01	8.01	12.1	4.29
								also	262.05	292.50	30.45	0.48	0.48	4.9	0.43
								incl.	286.50	288.50	2.00	3.19	3.19	2.0	0.16
P17-1230	2017NL-04	436750	6213195	430m	225/-89	NL West			NSV						
P17-1231	2017P-02	436580	6212752	440m	135/-50	602	upper zone		74.68	86.00	11.32	0.78	0.78	19.3	0.35
								incl.	74.68	77.00	2.32	3.46	3.46	36.5	2.90
								also	314.23	344.00	29.77	1.10	1.10	14.4	0.97
								incl.	326.00	336.50	10.50	2.02	2.02	42.8	2.51
								incl.	335.00	336.50	1.50	5.37	5.37	8.3	0.50
P17-1232	2017P-02	436580	6212752	440m	135/-60	602	upper zone		72.00	79.58	7.58	0.41	0.41	3.6	0.06
								also	280.00	342.90	62.90	1.50	1.50	6.0	0.33
								incl.	318.00	328.00	10.00	5.18	5.18	11.0	0.99
								incl.	318.00	319.00	1.00	26.50	26.50	18.0	1.24
P17-1233	2017P-02	436580	6212752	440m	135/-70	602			NSV						
P17-1234	2017P-02	436580	6212752	440m	135/-55	602	upper zone		71.07	79.00	7.93	0.92	0.92	27.8	0.44
								also	279.50	328.00	48.50	0.57	0.57	6.4	0.30
								incl.	284.50	311.00	26.50	0.76	0.76	6.6	0.41
								incl.	284.50	287.50	3.00	3.26	3.26	9.0	0.75
P17-1235	2017NL-04	436750	6213195	430m	225/-65	NL West			244.44	252.50	8.06	0.33	0.33	5.4	1.07
P17-1236	2017P-03	436615	6212810	440m	135/-45	602 Zone	upper zone		107.00	117.08	10.08	0.37	0.37	22.9	0.19
								also	296.04	301.76	5.72	1.98	1.98	5.9	0.17
P17-1237	2017P-03	436615	6212810	440m	135/-55	602 Zone	upper zone		94.60	115.25	20.65	0.28	0.28	7.0	0.11
P17-1238	2017NL-05	436760	6213120	440m	225/-45	NL West			230.50	243.28	12.78	1.66	1.66	7.2	1.41
								incl.	230.50	231.50	1.00	8.90	8.90	27.5	11.55

May 2017 Ascot Resources Premier Drill Results

Hole #	Pad #	UTM E	UTM N	Elevation	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
P17-1239	2017NL-05	436760	6213120	440m	225/-60	NL West			229.64	237.10	7.46	0.17	0.17	24.6	0.79
								also	245.57	269.50	22.93	0.53	0.53	1.8	0.10
								incl.	253.50	257.50	4.00	1.53	1.53	2.1	0.11
P17-1240	2017NL-05	436760	6213120	440m	225/-72	NL West			221.32	225.00	3.68	0.68	0.68	4.5	0.32
								also	281.00	283.28	2.28	0.42	0.42	2.3	0.27
P17-1241	2017NL-11	437090	6213190	540m	135/-50	NL Main			266.00	339.00	73.00	1.51	1.51	4.4	0.19
								incl.	285.00	312.00	27.00	2.87	2.87	6.2	0.31
								incl.	289.00	296.50	7.50	5.16	5.16	8.8	0.54
								incl.	289.00	290.00	1.00	17.55	17.55	31.6	2.38
								incl.	295.50	296.50	1.00	11.75	11.75	20.6	1.39
P17-1242	2017NL-11	437090	6213190	540m	135/-58	NL Main			256.48	339.33	82.85	2.23	1.79*	6.6	0.25
								incl.	265.00	306.00	41.00	3.92	3.04*	10.7	0.41
								incl.	293.87	306.00	12.13	10.40	7.44*	24.8	1.17
								incl.	293.87	295.95	2.08	40.87	23.58*	126.5	5.90
								incl.	293.87	295.00	1.13	66.10	34.29*	193.0	7.41
P17-1243	2017NL-11	437090	6213190	540m	135/-65	NL Main			252.00	333.30	81.30	0.89	0.89	3.9	0.17
								incl.	279.00	296.00	17.00	2.95	2.95	8.3	0.43
								incl.	286.50	296.00	9.50	4.76	4.76	11.7	0.61
								incl.	292.65	296.00	3.35	11.27	11.27	20.6	1.19
								incl.	292.65	294.00	1.35	21.30	21.30	40.7	2.35
P17-1244	2017NL-11	437090	6213190	540m	135/-74	NL Main			225.00	250.50	25.50	1.14	1.14	3.3	0.14
								incl.	227.00	231.00	4.00	5.43	5.43	5.8	0.17
								also	263.00	337.79	74.79	1.04	1.04	3.8	0.21
								incl.	280.71	302.00	21.29	2.28	2.28	5.8	0.34
								incl.	282.00	284.00	2.00	11.25	11.25	4.7	0.25
P17-1245	2017NL-11	437090	6213190	540m	135/-80	NL Main			233.50	342.90	109.40	0.70	0.70	3.3	0.27
								incl.	273.71	314.00	40.29	1.10	1.10	3.7	0.28
								incl.	305.34	314.00	8.66	2.26	2.26	4.4	0.33
							VG.	incl.	310.00	311.00	1.00	5.92	5.92	8.4	0.52
P17-1246	2017NL-07	436940	6212990	520m	135/-45	NL Main			228.54	314.00	85.46	0.44	0.44	3.5	0.19
								incl.	246.50	268.12	21.62	0.78	0.78	4.8	0.34
								incl.	246.50	250.50	4.00	2.01	2.01	10.0	0.55
								incl.	249.50	250.50	1.00	5.72	5.72	18.3	1.08
P17-1247	2017NL-07	436940	6212990	520m	135/-67	NL Main			227.00	237.43	10.43	1.08	1.08	8.5	0.82
								also	259.20	316.00	56.80	0.38	0.38	2.8	0.16
								incl.	290.00	302.00	12.00	1.05	1.05	3.7	0.13
								incl.	294.00	296.00	2.00	3.38	3.38	5.9	0.26
P17-1248	2017NL-07	436940	6212990	520m	135/-80	NL Main			238.58	328.64	90.06	0.60	0.60	3.1	0.26

May 2017 Ascot Resources Premier Drill Results

Hole #	Pad #	UTM E	UTM N	Elevation	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
								incl.	280.00	308.50	28.50	1.37	1.37	5.8	0.54
								incl.	280.00	286.50	6.50	3.66	3.66	14.2	1.43
								incl.	281.00	283.00	2.00	5.10	5.10	14.4	1.35
								incl.	284.00	285.00	1.00	6.03	6.03	8.2	1.21
P17-1249	2017NL-07	436940	6212990	520m	135/-89	NL Main			259.75	323.36	63.61	1.24	1.24	4.3	0.27
								incl.	259.75	267.00	7.25	7.22	7.22	5.2	0.24
								incl.	259.75	262.00	2.25	20.80	20.80	5.0	0.11
P17-1250	2017NL-12	437175	6213190	580m	135/-45	NL Main			266.29	345.95	79.66	0.46	0.46	3.0	0.22
								incl.	295.21	332.00	36.79	0.73	0.73	3.4	0.32
								incl.	295.21	296.50	1.29	2.64	2.64	6.4	0.16
P17-1251	2017NL-12	437175	6213190	580m	135/-60	NL Main			259.05	304.40	45.35	1.28	1.28	8.2	0.33
								incl.	272.00	279.00	7.00	5.35	5.35	21.5	0.97
								incl.	272.00	275.50	3.50	8.99	8.99	27.2	1.21
								incl.	274.50	275.50	1.00	11.65	11.65	22.6	2.13
P17-1252	2017NL-12	437175	6213190	580m	135/-75	NL Main			270.50	315.90	45.40	0.38	0.38	2.7	0.09
								incl.	286.50	309.00	22.50	0.59	0.59	2.6	0.10
P17-1253	2017NL-12	437175	6213190	580m	135/-53	NL Main			247.00	288.90	28.40	0.40	0.40	4.3	0.10
								also	298.50	328.00	29.50	0.41	0.41	4.4	0.19
P17-1254	2017NL-06	436830	6213020	455m	135/-55	NL Main	Hit Stope		205.55	208.11	2.56	2.37	2.37	74.8	2.91
P17-1255	2017NL-06	436830	6213020	455m	135/-66	NL Main			208.50	210.23	1.73	2.96	2.96	97.6	7.43
								also	254.00	275.22	21.22	0.26	0.26	8.8	0.28
P17-1256	2017NL-06	436830	6213020	455m	135/-75	NL Main			213.00	249.00	36.00	0.32	0.32	3.0	0.20
								incl.	217.00	219.00	2.00	2.66	2.66	3.7	0.08
								also	263.00	273.41	10.41	0.31	0.31	5.6	0.03
P17-1257	2017NL-06	436830	6213020	455m	135/-84	NL Main			237.74	249.00	11.26	0.27	0.27	3.4	0.31
P17-1258	2017NL-12	437175	6213190	580m	135/-68	NL Main			279.94	286.00	6.06	1.28	1.28	5.7	0.33
								incl.	279.94	282.00	2.06	3.24	3.24	13.3	0.74
								also	301.30	313.00	11.70	1.19	1.19	4.1	0.02
								incl.	307.00	309.00	2.00	3.04	3.04	4.3	0.09
P17-1259	2017NL-13	437085	6213020	595m	135/-45	NL Main			180.00	184.40	4.40	1.12	1.12	3.1	0.12
								also	235.50	321.56	86.06	0.99	0.99	4.3	0.19
								incl.	244.00	248.00	4.00	9.10	9.10	10.0	0.30
								incl.	244.00	246.00	2.00	12.65	12.65	11.5	0.38
								incl.	289.00	317.00	28.00	1.28	1.28	6.6	0.25
								incl.	289.00	292.00	3.00	6.43	6.43	27.9	0.53

May 2017 Ascot Resources Premier Drill Results

Hole #	Pad #	UTM E	UTM N	Elevation	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
								incl.	291.00	292.00	1.00	12.45	12.45	30.9	0.71
P17-1260	2017NL-13	437085	6213020	595m	135/-65	NL Main			265.00	332.20	67.20	0.91	0.91	5.3	0.17
								incl.	269.75	291.26	52.51	1.07	1.07	5.8	0.18
								incl.	295.00	303.00	8.00	3.03	3.03	11.5	0.27
								incl.	297.18	299.08	1.90	7.57	7.57	14.5	0.23
P17-1261	2017NL-11	437090	6213190	540m	135/-86	NL Main			238.00	317.00	79.00	0.41	0.41	3.8	0.18
								incl.	280.00	314.55	34.55	0.69	0.69	4.4	0.22
								incl.	280.00	282.00	2.00	3.80	3.80	11.80	0.64
P17-1262	2017NL-06	436830	6213020	455m	225/-45	NL West			201.80	210.00	8.20	2.31	2.31	25.9	1.90
								incl.	201.80	206.00	4.20	3.98	3.98	47.3	3.07
								incl.	201.80	203.00	1.20	6.77	6.77	64.6	4.97
P17-1263	2017NL-06	436830	6213020	455m	225/-60	NL West			157.28	160.32	3.04	1.79	1.79	52.6	0.37
								also	188.90	214.00	25.10	1.34	1.34	17.9	2.30
								incl.	195.90	207.60	11.70	2.40	2.40	34.6	4.66
								incl.	201.30	204.30	3.00	5.51	5.51	104.6	12.83
								incl.	201.30	202.30	1.00	11.20	11.20	100.0	12.60
P17-1264	2017NL-06	436830	6213020	455m	225/-74	NL West			223.30	281.50	58.20	0.47	0.47	15.2	0.70
								incl.	234.60	252.00	17.40	0.70	0.70	36.0	1.11
								incl.	241.00	242.70	1.70	2.40	2.40	5.0	0.21
P17-1265	2016NL-10	437060	6213140	535m	135/-52	NL Main			244.00	264.50	20.50	0.36	0.36	2.7	0.11
								incl.	246.00	249.53	3.53	1.37	1.37	6.4	0.32
								also	289.50	337.41	47.91	1.50	1.50	3.9	0.16
								incl.	302.50	325.00	22.50	2.28	2.28	3.5	0.15
								incl.	307.00	308.50	1.50	5.49	5.49	2.9	0.12
								incl.	313.00	314.47	1.47	5.50	5.50	5.9	0.08
								incl.	320.50	322.00	1.50	8.22	8.22	3.2	0.21
P17-1266	2016NL-10	437060	6213140	535m	135/-58	NL Main			274.00	338.64	64.64	1.17	1.17	3.7	0.18
								incl.	282.46	303.24	20.78	2.43	2.43	4.9	0.20
								incl.	282.46	287.00	4.54	7.60	7.60	13.6	0.58
								incl.	282.46	284.00	1.54	14.45	14.45	12.1	0.71
P17-1267	2016NL-10	437060	6213140	535m	135/-65	NL Main			274.00	359.97	85.97	1.13	0.96*	4.8	0.14
								incl.	294.00	343.00	49.50	1.75	1.46*	4.4	0.13
								incl.	294.00	301.50	7.50	9.00	7.10*	14.0	0.40
							VG.	incl.	300.50	301.50	1.00	48.60	34.29*	22.3	0.84
P17-1273	2017P-04	436420	6212530	430m	45/-58	609 & 602			333.45	340.60	7.15	0.80	0.80	6.4	0.25
								also	348.10	358.00	9.90	18.89	15.22*	22.8	1.01
								incl.	348.10	354.15	6.05	30.65	24.65*	35.5	1.61

May 2017 Ascot Resources Premier Drill Results

Hole #	Pad #	UTM E	UTM N	Elevation	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
								incl.	349.61	352.65	3.04	46.23	34.29*	42.6	2.00
* Au values cut to 34.29 g/t Au															