

Ascot Resources Ltd. -Premier Diamond Drill Results- Nov.21, 2017

Hole #	Pad #	UTM E	UTM N	Elevation	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
P17-1527	2017P-32	437270	6213030	660m	135/-74	Ben Subzone			250.25	269.00	18.75	0.43	0.43	3.9	0.24
								also	284.00	285.40	1.40	9.56	9.56	3.9	0.11
								also	298.00	328.00	30.00	0.62	0.62	3.9	0.20
								incl.	310.10	318.75	8.65	0.94	0.94	5.9	0.23
P17-1530	2016NL-27	437125	6213068	590m	135/-55	Ben Subzone			243.50	263.00	19.50	0.96	0.96	6.2	0.32
								incl.	248.50	253.00	4.50	2.91	2.91	17.1	1.07
								also	269.00	337.50	68.50	0.54	0.54	6.2	0.30
								incl.	295.50	316.50	21.00	1.02	1.02	12.8	0.63
P17-1534	2017NL-06	436830	6213020	455m	180/-53	Ben Subzone			151.29	210.00	58.71	0.70	0.70	3.7	0.31
								incl.	167.00	174.68	7.68	3.35	3.35	6.7	0.95
								incl.	172.00	173.00	1.00	11.85	11.85	14.4	0.97
P17-1535	2017NL-06	436830	6213020	455m	180/-70	Ben Subzone			175.87	185.26	9.39	0.63	0.63	12.7	2.39
								also	201.80	264.00	62.20	0.34	0.34	2.3	0.13
								incl.	232.00	235.00	3.00	1.15	1.15	4.5	0.32
P17-1536	2017P-38	437145	6212900	650m	135/-80	Ben Subzone			222.00	232.80	10.80	0.23	0.23	1.8	0.06
								also	272.00	293.90	21.90	0.49	0.49	2.9	0.05
								incl.	289.00	291.00	2.00	2.19	2.19	3.2	0.03
								also	300.00	306.00	6.00	14.89	11.65*	5.7	0.10
								incl.	300.00	302.00	2.00	44.00	34.29*	8.7	0.04
P17-1537	2017P-38	437145	6212900	650m	135/-84	Ben Subzone		also	220.40	328.00	107.60	0.73	0.73	3.3	0.18
								incl.	224.00	241.00	17.00	1.44	1.44	5.3	0.18
								incl.	236.30	241.00	4.70	3.11	3.11	10.9	0.34
								incl.	252.00	254.00	2.00	6.26	6.26	10.6	0.06
								incl.	285.00	306.50	21.50	1.06	1.06	5.1	0.46
								incl.	293.90	295.00	1.10	5.06	5.06	2.0	0.07
P17-1538	2017P-38	437145	6212900	650m	135/-89	Ben Subzone			225.00	331.90	106.90	0.61	0.61	4.1	0.19
								incl.	267.50	312.00	44.50	0.91	0.91	4.0	0.27
								incl.	311.00	312.00	1.00	12.00	12.00	2.5	0.06
P17-1539	2017ME-1	436202	6220400	1130m	315/-80	Martha Ellen Recce			79.20	121.70	42.50	0.27	0.27	13.8	0.04
								also	161.70	172.90	11.20	1.01	1.01	4.2	0.12
								incl.	161.70	163.70	2.00	3.03	3.03	8.3	0.18
								also	296.45	299.70	3.25	0.78	0.78	2.6	0.10
P17-1540	2017NL-36	437070	6213150	530m	135/-55	Prew Subzone			250.10	349.00	98.90	0.91	0.91	3.4	0.13

Ascot Resources Ltd. -Premier Diamond Drill Results- Nov.21, 2017

Hole #	Pad #	UTM E	UTM N	Elevation	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
								incl.	283.00	340.00	57.00	1.35	1.35	3.9	0.16
								incl.	283.00	297.00	14.00	2.13	2.13	3.4	0.08
								incl.	296.00	297.00	1.00	8.25	8.25	3.7	0.21
								incl.	322.40	340.00	17.60	1.49	1.49	5.2	0.24
								incl.	334.00	336.00	2.00	4.97	4.97	3.1	0.23
P17-1541	2017NL-36	437070	6213150	530m	135/-61	Prew Subzone			260.00	350.00	90.00	1.06	1.06	3.8	0.16
								incl.	282.70	287.60	4.90	8.97	8.97	17.7	1.05
								incl.	285.00	286.00	1.00	27.60	27.60	45.5	2.83
								incl.	345.50	350.00	4.50	1.86	1.86	4.0	0.25
P17-1542	2017NL-36	437070	6213150	530m	135/-68	Prew Subzone	Hit Working		270.20	297.79	27.59	0.69	0.69	4.0	0.17
								incl.	277.50	282.00	4.50	1.84	1.84	4.2	0.17
P17-1543	2017NL-36	437070	6213150	530m	135/-75	Prew Subzone			229.70	243.00	13.30	0.57	0.57	2.7	0.13
								also	266.00	330.71	64.71	0.95	0.95	5.4	0.27
								incl.	295.00	322.00	27.00	1.64	1.64	7.9	0.47
								incl.	299.00	311.00	12.00	2.24	2.24	10.5	0.64
								incl.	305.00	307.00	2.00	5.76	5.76	9.2	0.53
P17-1544	2017NL-36	437070	6213150	530m	135/-82	Prew Subzone			246.00	256.00	10.00	0.20	0.20	2.1	0.08
								also	287.80	336.80	49.00	0.50	0.50	2.5	0.14
								incl.	329.00	336.80	7.80	1.03	1.03	3.0	0.20
P17-1545	2017NL-37	437052	6213120	525m	90/-57	Prew Subzone			282.00	321.40	39.40	0.97	0.97	2.8	0.12
								incl.	286.00	296.50	10.50	2.06	2.06	3.9	0.27
								incl.	286.00	290.50	4.50	3.12	3.12	3.0	0.17
								incl.	317.00	319.00	2.00	3.46	3.46	5.6	0.06
P17-1546	2017P-34	437200	6213016	655m	135/-54	Ben Subzone			NSV						
P17-1547	2017P-34	437200	6213016	655m	135/-63	Ben Subzone			230.00	275.84	45.84	1.16	1.16	5.1	0.37
								incl.	230.00	238.20	8.20	4.40	4.40	2.2	0.11
								incl.	237.20	238.20	1.00	26.70	26.70	4.4	0.48
								incl.	268.00	271.00	3.00	1.81	1.81	15.1	1.74
P17-1548	2017P-34	437200	6213016	655m	135/-71	Ben Subzone			244.00	321.50	77.50	0.93	0.93	5.3	0.36
								incl.	264.90	295.00	30.10	1.61	1.61	9.5	0.75
								incl.	264.90	276.00	11.10	2.45	2.45	17.8	1.60
								incl.	264.90	268.00	3.10	4.61	4.61	24.2	0.82
								incl.	275.00	276.00	1.00	4.49	4.49	33.3	0.56
								incl.	281.00	282.00	1.00	5.06	5.06	7.9	0.32

Ascot Resources Ltd. -Premier Diamond Drill Results- Nov.21, 2017

Hole #	Pad #	UTM E	UTM N	Elevation	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
P17-1549	2017P-34	437200	6213016	655m	135/-79	Ben Subzone			250.00	259.50	9.50	0.60	0.60	5.4	0.06
								also	269.50	273.50	4.00	2.12	2.12	2.6	0.04
								also	281.00	358.90	77.90	1.00	1.00	7.3	0.43
								incl.	302.00	333.00	31.00	1.68	1.68	9.7	0.55
								incl.	304.00	321.00	17.00	2.23	2.23	6.9	0.28
								incl.	319.00	321.00	2.00	7.52	7.52	21.8	0.57
P17-1550	2017ME-1	436202	6220400	1130m	270/-55	Martha Ellen Recce			129.00	131.75	2.75	1.66	1.66	21.8	0.50
								also	198.85	219.35	20.50	0.27	0.27	5.9	0.18
								also	236.00	240.40	4.40	1.70	1.70	2.6	0.48
P17-1551	2017NL-40	436713	6212923	460m	135/-45	NL West		NSV							
P17-1552	2017P-33	437255	6213005	660m	135/-70	Ben Subzone			211.00	216.00	5.00	0.96	0.96	8.3	0.07
								also	242.90	292.00	49.10	2.82	1.30*	5.0	0.25
								incl.	248.50	249.50	1.00	109.00	34.29*	23.3	0.42
								incl.	274.40	277.60	3.20	2.70	2.70	5.9	0.05
P17-1553	2017P-33	437255	6213005	660m	135/-80	Ben Subzone			253.00	305.00	52.00	0.63	0.63	4.5	0.39
								incl.	263.00	288.00	25.00	0.96	0.96	6.4	0.67
								incl.	263.00	266.00	3.00	2.19	2.19	9.7	2.03
P17-1554	2017P-33	437255	6213005	660m	135/-87	Ben Subzone			272.00	345.70	73.70	0.70	0.70	3.1	0.13
								incl.	297.80	327.00	29.20	1.31	1.31	4.1	0.23
								incl.	325.00	327.00	2.00	7.66	7.66	10.3	1.08
P17-1555	2017P-34	437200	6213016	655m	135/-83	Ben Subzone			264.00	276.00	12.00	2.96	2.96	7.1	0.36
								incl.	264.00	272.00	8.00	4.37	4.37	10.0	0.54
								incl.	264.00	266.00	2.00	7.73	7.73	5.8	0.20
								also	282.00	291.50	9.50	0.30	0.30	3.0	0.09
								also	301.80	371.86	70.06	0.72	0.72	4.0	0.28
								incl.	309.00	326.00	17.00	1.08	1.08	7.7	0.09
P17-1556	2017NL-40	436713	6212923	460m	135/-75	NL West			139.10	146.90	7.80	0.46	0.46	4.3	0.50
								also	162.50	185.50	23.00	0.20	0.20	1.9	0.17
P17-1557	2017NL-35	437086	6213178	533m	135/-51	Prew Subzone			240.80	249.55	8.75	0.38	0.38	4.5	0.18
								also	254.00	335.70	81.70	1.00	1.00	4.3	0.17
								incl.	282.00	306.55	24.55	2.47	2.47	8.4	0.30
								incl.	288.00	292.00	4.00	7.56	7.56	29.6	0.96
								incl.	290.00	292.00	2.00	12.15	12.15	50.3	1.36

Ascot Resources Ltd. -Premier Diamond Drill Results- Nov.21, 2017

Hole #	Pad #	UTM E	UTM N	Elevation	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
P17-1558	2017NL-35	437086	6213178	533m	135/-63	Prew Subzone			261.70	333.10	71.40	2.52	2.08*	7.2	0.28
								incl.	272.65	297.75	25.10	6.47	5.19*	11.4	0.41
								incl.	275.65	276.65	1.00	43.50	34.29*	37.8	0.70
								incl.	281.35	282.35	1.00	57.30	34.29*	51.1	0.56
								incl.	290.65	291.60	0.95	31.30	31.30	69.8	3.87
P17-1559	2017NL-35	437086	6213178	533m	135/-73	Prew Subzone			217.93	234.15	16.22	0.45	0.45	11.1	0.20
								also	270.00	335.15	65.15	1.02	1.02	12.2	0.24
								incl.	272.00	299.00	27.00	1.50	1.50	25.1	0.38
								incl.	272.00	280.00	8.00	2.46	2.46	68.6	0.35
								incl.	278.00	280.00	2.00	4.48	4.48	4.1	0.14
								incl.	285.60	287.90	2.30	3.05	3.05	5.6	1.24
P17-1560	2017NL-35	437086	6213178	533m	135/-79	Prew Subzone			224.95	244.00	19.05	0.31	0.31	2.8	0.25
								also	277.50	334.50	57.00	1.29	1.29	3.8	0.25
								incl.	291.00	310.65	19.65	2.26	2.26	4.4	0.37
								incl.	297.00	304.00	7.00	3.09	3.09	4.0	0.26
								incl.	309.65	310.65	1.00	8.59	8.59	2.6	0.10
P17-1561	2017ME-1	436202	6220400	1130m	225/-60	Martha Ellen Recce			47.80	101.40	53.60	0.69	0.69	36.2	0.11
								incl.	53.50	55.50	2.00	1.49	1.49	430.5	0.96
								incl.	87.75	96.75	9.00	1.52	1.52	17.2	0.11
								incl.	94.55	95.65	1.10	4.02	4.02	12.3	0.14
								also	109.80	116.80	7.00	0.42	0.42	179.7	0.17
P17-1562	2017NL-40	436713	6212923	460m	135/-87	NL West			141.65	149.00	7.35	6.82	6.82*	20.7	6.11
								incl.	142.85	147.00	4.15	11.64	11.64*	32.8	10.44
								incl.	146.10	147.00	0.90	34.80	34.29*	55.6	22.40
P17-1563	2017NL-40	436713	6212923	460m	315/-73	NL West			172.40	231.15	58.75	1.85	1.85	9.4	1.13
								incl.	175.25	192.00	16.75	5.68	5.68	27.4	3.53
								incl.	175.25	184.40	9.15	9.76	9.76	44.4	5.63
								incl.	175.25	179.40	4.15	17.67	17.67	73.5	8.46
(*) samples cut to 1opt or 34.29 g/t Au.															